

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
1	BRS	L1	15693	(tag\$1 identifier\$1 marker\$1 label\$1) near\$3 (rf\$1 id rf frequency electromagnetic resonance\$4 wireless\$2 inductive\$2)	US-PGPUB; USPAT	2006/03/07 14:01			
2	BRS	L2	555214	(condition\$1 parameter\$1 temperature\$1 thermal humidity moisture heat orientation\$1 tilt\$3 force\$1 pressure\$1) near\$3 (measured\$6 sensor\$3 detect\$3)	US-PGPUB; USPAT	2006/03/07 10:32			
3	BRS	L3	492	1 same 2	US-PGPUB; USPAT	2006/03/07 10:28			
4	BRS	L4	1870	(1 bar\$1 code\$1 (bar adj code\$1)) same 2	US-PGPUB; USPAT	2006/03/07 10:28			
5	BRS	L5	566	(1 bar\$1 code\$1 (bar adj code\$1)) near\$10 2	US-PGPUB; USPAT	2006/03/07 10:32			
6	BRS	L6	37634	(1 bar\$1 code\$1 (bar adj code\$1)) near\$10 (image\$1 imaging scan\$4 read\$3)	US-PGPUB; USPAT	2006/03/07 10:31			
7	BRS	L7	500	5 and 6	US-PGPUB; USPAT	2006/03/07 10:31			
8	BRS	L8	4586	(1 bar\$1 code\$1 (bar adj code\$1)) near\$10 track\$3	US-PGPUB; USPAT	2006/03/07 10:32			
9	BRS	L9	91	5 and 8	US-PGPUB; USPAT	2006/03/07 10:32			
10	BRS	L10	571839	(condition\$1 parameter\$1 temperature\$1 thermal humidity moisture heat orientation\$1 tilt\$3 force\$1 pressure\$1 environment\$2) near\$3 (measured\$6 sensor\$3 detect\$3)	US-PGPUB; USPAT	2006/03/07 12:02			
11	BRS	L11	666	(1 bar\$1 code\$1 (bar adj code\$1)) near\$10 10	US-PGPUB; USPAT	2006/03/07 12:06			
12	BRS	L12	126	11 and 8	US-PGPUB; USPAT	2006/03/07 10:35			
13	BRS	L13	101	12 not xiaoxun.in.	US-PGPUB; USPAT	2006/03/07 12:07			
14	BRS	L14	94	13 not engellenner.in.	US-PGPUB; USPAT	2006/03/07 11:53			
15	BRS	L15	33	14 and tracking and (image\$2 imaging)	US-PGPUB; USPAT	2006/03/07 11:53			

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
16	BRS	L16	361046	((environment\$2 ambient) near2 (condition\$1 parameter\$1)) pressure\$1 temperaure\$1 thermal humidity moisture heat orientation\$1 tilt\$3 force\$1) near3 (measur\$6 sens\$3 detect\$3)	US-PGPUB; USPAT	2006/03/07 12:20			
17	BRS	L17	352	(1 bar\$1code\$1 (bar adj code\$1)) near10 16	US-PGPUB; USPAT	2006/03/07 12:21			
18	BRS	L18	73	17 and 8	US-PGPUB; USPAT	2006/03/07 12:07			
19	BRS	L20	368040	((environment\$2 ambient) near2 (condition\$1 parameter\$1)) pressure\$1 temperaure\$1 thermal humidity moisture heat dropp\$3 acceler\$7 tilt\$3 force\$1) near3 (measur\$6 sens\$3 detect\$3)	US-PGPUB; USPAT	2006/03/07 13:57			
20	BRS	L22	23	21 and 8	US-PGPUB; USPAT	2006/03/07 12:38			
21	BRS	L23	2588	(code codes coding encod\$3) near10 20	US-PGPUB; USPAT	2006/03/07 13:18			
22	BRS	L24	110	21 same 23	US-PGPUB; USPAT	2006/03/07 12:26			
23	BRS	L25	1	24 and 22	US-PGPUB; USPAT	2006/03/07 12:26			
24	BRS	L21	220	(1 bar\$1code\$1 (bar adj code\$1)) near10 20	US-PGPUB; USPAT	2006/03/07 14:02			
25	BRS	L26	5	21 same (transport\$3 shipp\$3 shipment\$1 cargo)	US-PGPUB; USPAT	2006/03/07 12:29			
26	BRS	L27	33	21 same (camera\$1 image\$2 imaging)	US-PGPUB; USPAT	2006/03/07 12:38			
27	BRS	L28	128	(bar\$1code\$1 (bar adj code\$1)) near10 20	US-PGPUB; USPAT	2006/03/07 12:52			
28	BRS	L29	216	6 and 23	US-PGPUB; USPAT	2006/03/07 12:54			
29	BRS	L30	533	6 same 20	US-PGPUB; USPAT	2006/03/07 12:55			
30	BRS	L31	98	29 and 30	US-PGPUB; USPAT	2006/03/07 12:57			
31	IS&R	L32	5573	(235/487-495).CCIS.					

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
32	BRS	L33	248	20 and 32	US-PGPUB; USPAT	2006/03/07 13:51			
33	BRS	L34	1688	(coding encod\$3) near10 20	US-PGPUB; USPAT	2006/03/07 13:14			
34	BRS	L35	6	33 and (21 34)	US-PGPUB; USPAT	2006/03/07 13:14			
35	BRS	L36	20928	(code codes coded encode encodes encoded) near (image\$1 indicator\$1 indication\$1)	US-PGPUB; USPAT	2006/03/07 13:39			
36	BRS	L37	42	20 same 36	US-PGPUB; USPAT	2006/03/07 13:20			
37	BRS	L38	8388	(code codes coded encode encodes encoded) near (indicia signature\$1 indicator\$1 indication\$1)	US-PGPUB; USPAT	2006/03/07 14:30			
38	BRS	L40	318	38 near5 (video camera\$1 photograph\$2 image\$1 imaging imagers)	US-PGPUB; USPAT	2006/03/07 13:40			
39	BRS	L41	16	20 and 40	US-PGPUB; USPAT	2006/03/07 13:42			
40	BRS	L43	50	20 same 38	US-PGPUB; USPAT	2006/03/07 13:52			
41	BRS	L42	35	33 and 38	US-PGPUB; USPAT	2006/03/07 13:54			
42	BRS	L44	4	37 same (id identif\$7)	US-PGPUB; USPAT	2006/03/07 13:55			
43	BRS	L45	16056	color\$2 near2 (indicia signature\$1 indicator\$1 indication\$1)	US-PGPUB; USPAT	2006/03/07 13:56			
44	BRS	L46	172	20 same 45	US-PGPUB; USPAT	2006/03/07 13:57			
45	BRS	L47	0	37 and 46	US-PGPUB; USPAT	2006/03/07 13:57			
46	BRS	L48	312352	((environment\$2 ambient) near2 (condition\$1 parameter\$1)) pressure\$1 temperature\$1 thermal humidity moisture heat dropp\$3 acceller\$7 tilt\$3 force\$1) near3 (measur\$6 sens\$3 detect\$3)	EPO; JPO; DERWENT; IBM_TDB	2006/03/07 13:57			
47	BRS	L49	7934	(tag\$1 identifier\$1 marker\$1 label\$1) near3 (rf\$1id rf frequency electromagnetic resona\$4 wireless\$2 inductive\$2)	EPO; JPO; DERWENT; IBM_TDB	2006/03/07 14:01			

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
48	BRS	L50	80	(49 bar\$1code\$1 (bar adj code\$1)) near10 48	EPO; JPO; DERWENT; IBM_TDB	2006/03/07 14:18			
49	IS&R	L51	140	(235/462.11).CCLS.	US-PGPUB; USPAT	2006/03/07 14:31			